

E: Earthquake Disaster

Source file name: `earthquake.c`, `earthquake.cpp`, or `earthquake.java`

An earthquake with a magnitude of 8.0 on the Richter scale has just occurred in Seismicity. Houses collapsed, many people are homeless and food becomes scarce. Now, it is time for the rest of the country to help. The country has N cities, numbered from 1 to N , being the city N Seismicity.

Each city has a maximum number of tons of basic goods (water, food, blankets, clothing, medicine) it can donate, and these basic goods will be transported to Seismicity in truck containers through the national road network. Each road is bidirectional and connects two cities. Additionally, if government decides to use a road to move trucks along it, it must pay a compensation to the road neighbors because of contamination and noise, and no more than a fixed number of tons can be transported over it.

Your task is to compute the maximum number of tons of basic goods that can be taken from other cities to Seismicity and the minimum amount of money to be paid to road neighbors to achieve it.

Input

The input consists of several test cases. The first line of each test case contains two blank-separated integers N and M , where N is the number of cities ($2 \leq N \leq 20$), and M is the number of roads ($1 \leq M \leq 500$). Then $N-1$ lines follow, each one containing an integer t_i indicating the maximum number of tons of basic goods that the city i can donate ($0 \leq t_i \leq 50$, for each $1 \leq i \leq N-1$). Each of the next M lines contains four blank-separated integers a , b , w and c , indicating that there is a road between cities a and b over which no more than w tons can be transported at a cost of c per ton ($1 \leq a < b \leq N$, $1 \leq w \leq 50$, $1 \leq c \leq 50$). Note that all roads are bidirectional, and that there may be several roads between any two fixed cities.

The input must be read from standard input.

Output

For each test case, print the maximum number of tons of basic goods that can be taken from other cities to Seismicity, followed by the minimum amount of money to be paid to road neighbors to achieve it.

The output must be written to standard output.

Sample Input	Sample Output
2 1 8 1 2 3 2 2 3 8 1 2 3 2 1 2 2 4 1 2 2 3 2 3 8 1 2 5 2 1 2 4 4 1 2 4 3 3 1 4 5 1 2 3 2 4 4 10 15 8 1 2 10 5 1 4 10 8 2 4 30 10 3 4 6 4	3 6 7 20 8 19 0 0 31 254