

# H

## Lexicographically Smallest FPIS

Input: Standard Input  
Output: Standard Output



A Permutation Insensitive String (**PIS**) is a string which does not change even if the positions of the characters are interchanged. For example, if the value of a **PIS** is "abc" it can also be written as "acb", "bca" etc. A Frequency Insensitive String (**FIS**) is a string whose value does not change if the frequency of any character is increased or decreased (Without altering the total length and without removing any character completely). So if the value of an **FIS** is "aabc" it can also be "abbc", or "abcc". An **FPIS** (Frequency and Permutation Insensitive String) is a string that is both permutation and frequency insensitive. Given an **FPIS** you will have to write the lexicographically smallest version of it.

### Input

First line of the input file contains an integer **T** ( $T \leq 1000$ ) which denotes how many strings to follow. Each of the next **T** lines contains a single **FPIS** containing at most **1000** characters. All these characters are from lower case English alphabet.

### Output

For each string in the input produce one line of output. This line contains lexicographically smallest version of the input FPIS.

### Sample Input

```
4
bca
pqab
aabb
c
```

### Output for Sample Input

```
abc
abpq
aaab
c
```

The way you find lexicographic order is:

1. Compare the first (Leftmost) character of both strings. If they are different, order is given by the order of the two characters. ('a' is less than 'b', 'y' is (usually) less than 'z')
2. If they are the same, move on to the next character of both strings.
3. If you run out of characters in one of the strings, that one comes first.
4. If you run out of characters in both strings, they are equal.