

## Problem A. Tangamandapio

Input: Standard  
Output: Standard  
Author(s): Sergio Corzo Cruz - Coderoad Bolivia

Tangamandapio's national competition is coming and it is time to write problems so all students are very excited to present their own problems.

$X$  likes subsequences and he wants to propose a problem about counting subsequences.

$Y$  loves permutations and he wants to propose a problem that requires knowing if a string has exactly  $K$  different permutations.

Both of them think that their own problem is the best.

$Z$  is a friend of  $X$  and  $Y$ , and he wants to finish the discussion so he proposes to create a problem that combines both problems in one.

Thus, they came with the following problem:

Given a string of text  $S$  count the number of subsequence that have exactly  $K$  different permutations.

A string  $T$  is a subsequence of another string  $S$ , if deleting some elements from  $S$  and without changing the order of the remaining elements, it is possible to get  $T$ .

### Input

There are multiple test cases. Each Test case contains two lines. The first line is a string  $S$  ( $1 \leq |S| \leq 10^3$ ) consisting of lowercase English alphabet. The second line contains an integer  $K$  ( $1 \leq K \leq 10^3$ ).

### Output

For each test case print exactly one line containing one integer representing the number of subsequences that have exactly  $K$  different permutations modulo  $10^9 + 9$ .

### Example

Input	Output
aaab	3
3	5
abcc	
2	

Use fast I/O methods