

You have been hired by several clients of a factory that manufactures brass bricks. Brass is an alloy of copper and zinc; each brick weighs 1000 grams, and the copper content of a brick can range from 1 to 999 grams. (Note that brass with less than 55% or more than 62% of copper is practically useless; however, this is irrelevant for this question) The factory manufactures, through various processes, different types of brick, each of which has a different copper concentration and price. It distributes a catalog of these types to its customers.

Your clients desire to buy a certain number (M) of bricks, which for, uh, religious reasons must be of different types. They will be melted together, and the resultant mixture must have a concentration of at least $CMin$ and at most $CMax$ grams of copper per kilogram. Their goal is to pick the M types of brick so that the mixture has the correct concentration and the price of the collection is minimized. You must figure out how to do this. M , $CMin$, and $CMax$ will vary depending on the client.

Input

The input begins with a single positive integer on a line by itself indicating the number of the cases following, each of them as described below. This line is followed by a blank line, and there is also a blank line between two consecutive inputs.

The first part of input consists of a line containing a number N ($1 \leq N \leq 200$), the number of brick types, and then N lines containing the copper concentration (between 1 and 999) and price (in cents) of each brick type. No brick costs more than 10 dollars.

The second part consists of a line containing a number C ($1 \leq C \leq 100$), the number of clients you are serving, followed by C lines containing M ($1 \leq M \leq 20$), $CMin$ ($1 \leq CMin \leq 999$), and $CMax$ ($1 \leq CMax \leq 999$) for each client.

All input numbers will be positive integers.

Output

For each test case, the output must follow the description below. The outputs of two consecutive cases will be separated by a blank line.

Output consists of a line for each client containing the minimum possible price for which they can purchase bricks to meet their demands. If there is no way to match their specifications, output 'impossible'.

Sample Input

```
1
11
550 300
550 200
700 340
300 140
600 780
930 785
730 280
678 420
999 900
485 390
888 800
3
2 500 620
9 550 590
9 610 620
```

Sample Output

```
420
impossible
3635
```