

## 12281 Hyper-Box

You live in the universe X where all the physical laws and constants are different from ours. For example all of their objects are  $N$ -dimensional. The living beings of the universe X want to build an  $N$ -dimensional monument. We can consider this  $N$  dimensional monument as an  $N$ -dimensional hyper-box, which can be divided into some  $N$  dimensional hypercells. The length of each of the sides of a hyper-cell is one. They will use some  $N$ -dimensional bricks (or hyper-bricks) to build this monument. But the length of each of the  $N$  sides of a brick cannot be anything other than fibonacci numbers. A fibonacci sequence is given below:



1, 2, 3, 5, 8, 13, 21, ...

As you can see each value starting from 3 is the sum of previous 2 values. So for  $N = 3$  they can use bricks of sizes (2,5,3), (5,2,2) etc. but they cannot use bricks of size (1,2,4) because the length 4 is not a fibonacci number. Now given the length of each of the dimension of the monument determine the minimum number of hyper-bricks required to build the monument. No two hyper-bricks should intersect with each other or should not go out of the hyper-box region of the monument. Also none of the hyper-cells of the monument should be empty.

### Input

First line of the input file is an integer  $T$  ( $1 \leq T \leq 100$ ) which denotes the number of test cases. Each test case starts with a line containing  $N$  ( $1 \leq N \leq 15$ ) that denotes the dimension of the monument and the bricks. Next line contains  $N$  integers the length in each dimension. Each of these integers will be between 1 and 2000000000 inclusive.

### Output

For each test case output contains a line in the format **Case  $x$ :  $M$**  where  $x$  is the case number (starting from 1) and  $M$  is the minimum number of hyper-bricks required to build the monument.

### Sample Input

```
2
2
4 4
3
5 7 8
```

### Sample Output

```
Case 1: 4
Case 2: 2
```