


Hip- $n$  is a game in which two players take turns by placing tokens on the free cells of a non-empty  $n \times n$  checkerboard. The game is lost by the first player placing four tokens identifying the vertices of a square: they can be of any size and tipped at any angle. The game ends in a tie when the board is full of tokens and no player has lost.

The following figure depicts a  $6 \times 6$  checkerboard and three examples of squares: the first player putting four tokens on the vertices of any of these squares loses the game. Of course, there are many more options for losing a game in the  $6 \times 6$  checkerboard.

Your task is to create a program that decides the outcome of a Hip- $n$  game described as a sequence of plays, by identifying the player that loses or recognizing a tie.



## Input

The input consists of several test cases. It ends when there are no more cases to test.

The first line of each test case contains an integer  $n$  ( $1 \leq n \leq 200$ ) indicating the number of rows and columns of the checkerboard. The next line contains  $n^2$  distinct pairs of blank-separated integers  $r$  and  $c$  in the checkerboard ( $0 \leq r < n$  and  $0 \leq c < n$ ): each such a pair identifies the placement of a token at row  $r$  and column  $c$  by the corresponding player. You can assume that player 1 makes the first move, player 2 the second one, player 1 the third one, and so on.

## Output

For each test case, print a single line with '0' if the game ends in a tie, '1' if player 1 loses, and '2' if player 2 loses.

## Sample Input

```
3
1 0 1 1 2 1 0 2 0 1 2 0 0 0 1 2 2 2
3
1 0 1 1 2 1 0 2 0 1 2 0 1 2 0 0 2 2
3
1 0 2 2 2 1 0 0 1 2 0 2 1 1 2 0 0 1
```

## Sample Output

```
0
1
2
```