01234567890	1234	5678901234	56789		
XXXX	XXXXXXXXXX				
XXXX		XX			
Х		Х			
Х	Х	XXXXXXX	X		
XXXXXX	XX		XX		
Х	Х	XXXXXX	X		
Х		Х			
XXXX		XX			
XXXX	XXXXXXXXXX				
	01234567890 	012345678901234 	01234567890123456789012345 		

Figure 1: A contour on a 2D grid

The character '#' represents the colour used to paint the contour as illustrated in figure 3. The paint is added on one side of the contour in such a way that each contour point of the painted side has at least one '#' neighbour horizontally or vertically as shown in figure 2:

		####
###	X###	XXXX#
XXX	XXXX	X#
flat zone	concave corner	convex corner

Figure 2: Cases of point painting

A contour can be painted either from inside or from outside. The painting side is specified by the presence of the character '*' inside or outside the contour as shown in figure 3. Notice that the star is removed from the grid once the painting is done.

XXX	XXXXX	XX	XXX	XXXXX	XX	interior	
XXXX	[XX	XXXX#######XX		painting		
Х	*	Х	X###	#	##X		
Х	Х	XXXXXX	X####	##X#	#XXX	XXXX	
XXXXX	XXX	XX	XXXXX	XXXXXXXX#		######XX	
Х	Х	XXXXXX	X####	##X#	#XXX	XXXX	
Х		Х	X###	#	##X		
XXXX	2	XX	XXXX#######XX				
XXX	****		XXX	XXXXXXXXX			
* XXX XXXX	XXXXX	XX XX	### #XXX #XXXX	##### XXXXX	## XX## XX#	exterior painting	
Х		Х	#X		X##:	####	
Х	Х	XXXXXXX	#X	Х	XXX	XXXX##	
XXXXX	XXX	XX	#XXXXX	XXX		XX#	
Х	Х	XXXXXXX	#X	Х	XXX	XXXX##	
Х		Х	#X		X##:	####	
XXXX	[XX	#XXXX		XX#		
****		#XXX	XXXXX	XX##			
		###	#####	##			

before painting

after painting

Figure	3:	Painting	а	closed	contour
I ISUIU	· • •	T COLLEGING	~~~	oroboa	COLLOCAL

Your problem is to write a program which: reads from a text file a number n and n grids, each grid containing a single contour and a single star, paints each grid according to the position of the star and outputs the painted grids to a text file. Each contour is placed on its grid in such a way that it is fully surrounded by free grid points (spaces).

Input

The first line of the input text file contains the number of grids to be painted. The next lines of the file contain the grids. The lines which represent a grid are terminated by a separation line full of

underscores ('_'). There are at most 30 lines and at most 80 characters in a line for each grid. The lines can be of different length.

Output

The standard output file contains the grids with the painted contours and with the stars removed. Each grid is output in the same format it has been read from the input file, including the separation line. It follows an example of the input and the output of the program for a single simple contour.

Sample Input

```
3
XXXXXXX
Х * Х
XXXXXXX
-----
     XXXXXXXXXX
    XXXX XX
   XX
    Х
               Х
    XXXX
           *XX
     XXXXXXXXXX
 _____
     XXXXXXXXXX
   XXXX XX
   XX
    XXXX
             XX
     XXXXXXXXXX
 _____
Sample Output
XXXXXXX
X####X
XXXXXXX
     XXXXXXXXXX
    XXXX#######XX
    X### # ##X
   X#####X# #XXXXXXX
XXXXXXX# ######XX
    X#####X# #XXXXXX
    X### # ##X
    XXXX#######XX
     XXXXXXXXXX
    ##########
    #XXXXXXXXXX##
    #XXXX XX#
   #X X#####
#X X XXXXXX
              XXXXXXX##
   #XXXXXXXX
                XX#
             XXXXXXX##
X######
   #X X
   #X X:
#XXXX XX#
    #XXXXXXXXXX##
     ##########
```