

Problem B

Clever Naming Patterns

Input: Standard Input
Output: Standard Output

Piotr is organizing a programming competition consisting of n problems, numbered A, B, C, etc. He wants to name the first problem starting with the letter A, the second problem starting with the letter B, and so on. However, he cannot simply come up with random words for problem titles - that wouldn't make sense. For each problem, he has come up with a list of acceptable names. Help Piotr pick an ordering of the problems and an acceptable name for each one so that each problem's name starts with the correct letter of the alphabet.

Input

The first line of input gives the number of cases, N . N test cases follow. Each one starts with n on a line by itself. The next n lines list the possible names for each of the n problems. Each line starts with k_i - the number of acceptable names for problem i and lists the names, separated by spaces. Each name is a non-empty string of letters. No two names will be the same, and no two names for the same problem will start with the same letter.

$1 \leq N \leq 30$,
 $1 \leq n \leq 26$,
 $1 \leq k_i \leq 26$.

Output

For each test case, first output the line "Case #x:", where x is the test case number. After that, print n lines listing the n problem names, each with only the first letter capitalized. There is guaranteed to be exactly one solution.

Sample Input

Output for Sample Input

4	Case #1:
3	Apples
2 Apples Oranges	Bananas
1 Bananas	Cranberries
5 Apricots Blueberries Cranberries Zucchini Yams	Case #2:
1	Apples
1 ApPlEs	Case #3:
2	Axe
2 a b	B
1 axe	Case #4:
4	Ad
4 Aa Ba Ca Da	Bc
3 Ab Bb Cb	Cb
2 Ac Bc	Da
1 Ad	

Problem setter: Igor Naverniouk